Transformation Groups for Beginners

S. V. Duzhin B. D. Tchebotarevsky

August 31, 2002

Contents

Preface **5**

Introduction **6**

1 Algebra of points **9**
1.1 Checkered plane 9
1.2 Point addition 11
1.3 Multiplying points by numbers 15
1.4 Centre of gravity 17
1.5 Coordinates 20
1.6 Point multiplication 22
1.7 Complex numbers 27

2 Plane Movements **35**
2.1 Parallel translations 35
2.2 Reflections 37
2.3 Rotations 39
2.4 Functions of a complex variable 42
2.5 Composition of movements 46
2.6 Glide reflections 51
2.7 Classification of movements 52
2.8 Orientation 55
2.9 Calculus of involutions 56

3 Transformation Groups **61**
3.1 A rolling triangle 61
3.2 Transformation groups 63
3.3 Classification of finite groups of movements 64
3.4 Conjugate transformations 66
3.5 Cyclic groups 70
3.6 Generators and relations 73

4 Arbitrary groups **79**
4.1 The general notion of a group . . . 79
4.2 Isomorphism . . . 86
4.3 The Lagrange theorem . . . 95

5 Orbits and Ornaments **101**
5.1 Homomorphism . . . 101
5.2 Quotient group . . . 104
5.3 Groups presented by generators and relations . . . 107
5.4 Group actions and orbits . . . 109
5.5 Enumeration of orbits . . . 111
5.6 Invariants . . . 117
5.7 Crystallographic groups . . . 119

6 Other Types of Transformations **129**
6.1 Affine transformations . . . 129
6.2 Projective transformations . . . 132
6.3 Similitudes . . . 136
6.4 Inversions . . . 142
6.5 Circular transformations . . . 146
6.6 Hyperbolic geometry . . . 149

7 Symmetries of Differential Equations **153**
7.1 Ordinary differential equations . . . 153
7.2 Change of variables . . . 157
7.3 The Bernoulli equation . . . 158
7.4 Point transformations . . . 161
7.5 One-parameter groups . . . 167
7.6 Symmetries of differential equations . . . 169
7.7 Solving equations by symmetries . . . 171

Answers, Hints and Solutions to Exercises **179**

Index **192**

Preface

The first Russian version of this book was written in 1983-1986 by B. D. Tchebotarevsky and myself and published in 1988 by "Vysheishaya Shkola" (Minsk) under the title "From ornaments to differential equations". The pictures were drawn by Vladimir Tsesler.

Years went by, and I was receiving positive opinions about the book from known and unknown people. In 1996 I decided to translate the book into English. In the course of this work I tried to make the book more consistent and self-contained. I deleted some unimportant fragments and added several new sections. Also, I corrected many mistakes (I can only hope I did not introduce new ones).

The translation was accomplished by the year 2000. In 2000, the English text was further translated into Japanese and published by Springer Verlag Tokyo under the title "Henkangun Nyūmon" ("Introduction to Transformation Groups").

The book is intended for high school students and university newcomers. Its aim is to introduce the concept of a transformation group on examples from different areas of mathematics. In particular, the book includes an elementary exposition of the basic ideas of S. Lie related to symmetry analysis of differential equations that has not yet appeared in popular literature.

The book contains a lot of exercises with hints and solutions. which will allow a diligent reader to master the material.

The present version, updated in 2002, incorporates some new changes, including the correction of errors and misprints kindly indicated by the Japanese translators S. Yukita (Hosei University, Tokyo) and M. Nagura (Yokohama National University).

S. Duzhin
September 1, 2002
St. Petersburg

Introduction

Probably, the one most famous book in all history of mathematics is Euclid's "Elements". In Europe it was used as a standard textbook of geometry in all schools during about 2000 years.

One of the first theorems is the following Proposition I.5, of which we quote only the first half.

Theorem 1 (Euclid) *In isosceles triangles the angles at the base are equal to one another.*

Proof Every high school student knows the standard modern proof of this proposition. It is very short.



Figure 1: An isosceles triangle

STANDARD PROOF. Let ABC be the given isosceles triangle (Fig.1). Since $AB = AC$, there exists a plane movement (reflection) that takes A to A, B to C and C to B. Under this movement, $\angle ABC$ goes into $\angle ACB$, therefore, these two angles are equal.

It seems that there is nothing interesting about this theorem. However, wait a little and look at Euclid's original proof (Fig.2).



Figure 2: Euclid's proof

EUCLID'S ORIGINAL PROOF. On the prolongations AD and AE of the sides AB and AC choose two points F and G such that $AF = AG$. Then $\triangle ABG = \triangle ACF$, hence

$\angle ABG = \angle ACF$. Also $\triangle CBG = \triangle BCF$, hence $\angle CBG = \angle BCF$. Therefore $\angle ABC = \angle ABG - \angle CBG = \angle ACF - \angle BCF = \angle ACB$.

In mediaeval England, Proposition I.5 was known under the name of *pons asinorum* (asses' bridge). In fact, the part of Figure 2 formed by the points F, B, C, G and the segments that join them, really resembles a bridge. Poor students who could not master Euclid's proof were compared to asses that could not surmount this bridge.



Figure 3: Asses's Bridge

From a modern viewpoint Euclid's argument looks cumbersome and weird. Indeed, why did he ever need these auxiliary triangles ABG and ACF? Why was not he happy just with the triangle ABC itself? The reason is that Euclid just could not use *movements* in geometry: this was forbidden by his philosophy stating that "mathematical objects are alien to motion",

This example shows that the use of movements can elucidate geometrical facts and greatly facilitate their proof. But movements are important not only if studied separately. It is very interesting to study the *social behaviour* of movements, i.e. the structure of *sets of movements* (or more general transformations) interrelated between themselves. In this area, the most important notion is that of a *transformation group*.

The theory of groups, as a mathematical theory, appeared not so long ago, only in XIX century. However, examples of objects that are directly related to transformation groups, were created already in ancient civilizations, both oriental and occidental. This refers to the art of ornament, called "the oldest aspect of higher mathematics expressed in an implicit form" by the famous XX century mathematician Hermann Weyl.

The following figure shows two examples of ornaments found on the walls of the mediaeval Alhambra Palace in Spain.

Both patterns are highly symmetric in the sense that there are preserved by many plane movements. In fact, the symmetry properties of Figure 4a are very close to those



a *b*

Figure 4: Two ornaments from Alhambra

of Figure 4b: each ornament has an infinite number of translations, rotations by 90° and 180°, reflections and glide reflections. However, they are not identical. The difference between them is in the way these movements are related between themselves for each of the two patterns. The exact meaning of these words can only be explained in terms of group theory which says that symmetry groups of figures 4a and 4b are not isomorphic (this is the contents of Exercise 129, see page 128).

The problem to determine and classify *all* the possible types of wall pattern symmetry was solved in late XIX century independently by a Russian scientist E. S. Fedorov and a German scientist G. Schönfliess. It turned out that there are exactly 17 different types of plane crystallographic groups (see the table on page 126).

Of course, significance of group theory goes far beyond the classification of plane ornaments. In fact, it is one of the key notions in the whole of mathematics, widely used in algebra, geometry, topology, calculus, mechanics etc.

This book provides an elementary introduction into the theory of groups. We begin with some examples from elementary Euclidean geometry where plane movements play an important role and the ideas of group theory naturally arise. Then we explicitly introduce the notion of a transformation group and the more general notion of an abstract group, discuss the algebraic aspects of group theory and its applications in number theory. After this we pass to group actions, orbits, invariants, some classification problems and finally go as far as the application of continuous groups to the solution of differential equations. Our primary aim is to show how the notion of group works in different areas of mathematics thus demonstrating that mathematics is a unified science.

The book is intended for people with high school mathematical education, including the knowledge of elementary algebra, geometry and calculus.

You will find many problems given with detailed solutions and lots of exercises for self-study supplied with hints and answers at the end of the book. It goes without saying that the reader who wants to really understand what's going on, must try to solve as many problems as possible.